SAFETY DATA SHEET



Hyspin AWH 15

Section 1. Identification

| GHS product identifier | Hyspin AWH 15 |
|----------------------------------|---|
| Product code | 453033-AU24 |
| SDS no. | 453033 |
| Relevant identified uses of the | substance or mixture and uses advised against |
| Use of the substance/ mixture | Hydraulic fluid For specific application advice see appropriate Technical Data Sheet or consult our company representative. |
| Manufacturer | |
| Supplier | Castrol Australia Pty Ltd Level 17, 717 Bourke Street Docklands, Victoria 3008 ABN 87 008 459 407 www.castrol.com.au |
| | Tel: +61 (03) 9268 4111 |
| EMERGENCY TELEPHONE NUMBER | +61 2801 44558 (or 1800 14 14 74 within Australia) |
| OTHER PRODUCT INFORMATION | Technical Advice Helpline Number: 1300 557 998 |

Section 2. Hazard(s) identification

Classification of the substance or mixture

ASPIRATION HAZARD - Category 1

GHS label elements

Hazard pictograms



| Signal word | DANGER | |
|-----------------------------|--|--|
| Hazard statements | H304 - May be fatal if swallowed and enters airways. | |
| Precautionary statements | | |
| General | P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand. | |
| Prevention | Not applicable. | |
| Response | P301 + P310, P331 - IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting. | |
| Storage | P405 - Store locked up. | |
| Disposal | P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. | |
| Supplemental label elements | Not applicable. | |

Section 2. Hazard(s) identification

| Other hazards which do not | Defatting to the skin. |
|----------------------------|--|
| | 8 |
| result in classification | Note: High Pressure Applications |
| | Injections through the skin resulting from contact with the product at high pressure |
| | constitute a major medical emergency. |
| | See 'Notes to physician' under First-Aid Measures, Section 4 of this Safety Data |
| | Sheet. |

Section 3. Composition and ingredient information

Substance/mixture

Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

| Ingredient name | % (w/w) | CAS number |
|--|---------|------------|
| Distillates (petroleum), hydrotreated light paraffinic | ≥90 | 64742-55-8 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description of necessary first a | id measures |
|----------------------------------|---|
| Eye contact | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention if symptoms occur. |
| Inhalation | If inhaled, remove to fresh air. Get medical attention if symptoms occur. |
| Skin contact | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
| Ingestion | Do not induce vomiting. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Aspiration hazard if swallowed. Can enter lungs and cause damage. Get medical attention immediately. |

Most important symptoms/effects, acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

Indication of immediate medical attention and special treatment needed, if necessary

| Notes to physician | Treatment should in general be symptomatic and directed to relieving any effects. Product can be aspirated on swallowing or following regurgitation of stomach contents, and can cause severe and potentially fatal chemical pneumonitis, which will require urgent treatment. Because of the risk of aspiration, induction of vomiting and gastric lavage should be avoided. Gastric lavage should be undertaken only after endotracheal intubation. Monitor for cardiac dysrhythmias. |
|----------------------------|--|
| Specific treatments | No specific treatment. |
| Protection of first-aiders | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

Section 5. Firefighting measures

| Extinguishing media | | |
|--|--|--|
| Suitable extinguishing media | In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. | |
| Unsuitable extinguishing media | Do not use water jet. | |
| Specific hazards arising from the chemical | In a fire or if heated, a pressure increase will occur and the container may burst. | |
| Hazardous thermal decomposition products | Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) | |
| Special protective actions for fire-fighters | No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. | |
| Special protective equipment for fire-fighters | Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. | |

Section 6. Accidental release measures

| Personal precautions, protecti | ve equipment and emergency procedures | |
|--------------------------------|--|--|
| For non-emergency personnel | Contact emergency personnel. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Put on appropriate personal protective equipment. Floors may be slippery; use care to avoid falling. | |
| For emergency responders | Entry into a confined space or poorly ventilated area contaminated with vapour, mist or fume is extremely hazardous without the correct respiratory protective equipment and a safe system of work. Wear self-contained breathing apparatus. Wear a suitable chemical protective suit. Chemical resistant boots. See also the information in "For non-emergency personnel". | |
| Environmental precautions | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). | |
| Methods and material for cont | ainment and cleaning up | |
| Small spill | Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. | |
| Large spill | Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Contaminated absorbent material may pose the same hazard as the spilt product. Dispose of via a licensed waste disposal contractor. | |

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not swallow. Aspiration hazard if swallowed. Can enter lungs and cause damage. Never siphon by mouth. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

| Product name Hyspin | AWH 15 | Product code | 453033-AU24 | Page: 3/9 |
|----------------------|-------------------|------------------|-------------|-----------|
| Version 2.02 Date of | f issue 8/16/2023 | Format Australia | Language | ENGLISH |
| | | (Australia) | | (ENGLISH) |

Section 7. Handling and storage

| Advice on general occupational hygiene | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|--|--|
| Conditions for safe storage, including any incompatibilities | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/ containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. |
| Not suitable | Prolonged exposure to elevated temperature |

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|-----------------|---|
| | Safe Work Australia (Australia). TWA: 5 mg/m³ 8 hours. Issued/Revised: 5/1995 Form: Mist |

Biological exposure indices

No exposure indices known.

| Appropriate engineering controls | All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible. |
|-------------------------------------|---|
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measures | |
| Hygiene measures | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | Safety glasses with side shields. |
| Skin protection | |

| Product name Hyspin AWH 15 | Product code | 453033-AU24 | Page: 4/9 |
|--------------------------------------|------------------|-------------|-----------|
| Version 2.02 Date of issue 8/16/2023 | Format Australia | Language | ENGLISH |
| | (Australia) | | (ENGLISH) |

Section 8. Exposure controls and personal protection

| | • • |
|----------------------------|---|
| Hand protection | Wear suitable gloves. The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions. |
| Skin protection | Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions. |
| <u>Refer to standards:</u> | Respiratory protection:AS/NZS 1715 and AS/NZS 1716 Gloves:AS/NZS 2161.1 Eye protection:AS/NZS 1336 and AS/NZS 1337 |

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

| Physical state | Liquid. | | | | | | |
|---|----------------------|------------|-----------|--------------|----------|----------|--------------|
| Colour | Amber. | | | | | | |
| Odour | Not available. | | | | | | |
| Odour threshold | Not available. | | | | | | |
| рН | Not applicable. | | | | | | |
| Melting point | Not available. | | | | | | |
| Boiling point, initial boiling point, and boiling range | Not available. | | | | | | |
| Flash point | Closed cup: >180°C | (>356°F) | [Pensky | y-Martens] | | | |
| Evaporation rate | Not available. | | | | | | |
| | Not applicable. Base | ed on - Ph | ysical st | ate | | | |
| Lower and upper explosion limit/flammability limit | Not available. | | | | | | |
| Vapour pressure | Not available. | | | | | | |
| | | Vapoι | ır Press | sure at 20°C | Vap | our pres | sure at 50°C |
| | Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method |
| | | | | | | | |

Relative vapour density

Not available.

| Product name Hyspin AWH 15 | Product code | 453033-AU24 Page: 5/9 |
|--------------------------------------|------------------|-----------------------|
| Version 2.02 Date of issue 8/16/2023 | Format Australia | Language ENGLISH |
| | (Australia) | (ENGLISH) |

Section 9. Physical and chemical properties

| Relative density | Not available. |
|--|--------------------------------------|
| Density | <1000 kg/m³ (<1 g/cm³) at 15°C |
| Solubility(ies) | |
| Not available. | |
| Solubility in water | Not available. |
| Partition coefficient: n- octanol/water | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Kinematic: 15 mm²/s (15 cSt) at 40°C |
| Particle characteristics | |
| Median particle size | |

Section 10. Stability and reactivity

| Reactivity | No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information. |
|------------------------------------|---|
| Chemical stability | The product is stable. |
| Possibility of hazardous reactions | Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur. |
| Conditions to avoid | Avoid all possible sources of ignition (spark or flame). |
| Incompatible materials | Reactive or incompatible with the following materials: oxidising materials. |
| Hazardous decomposition products | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

| Information on toxicological ef | fects | | | |
|--|--|----------------------------|---------------------|--------------|
| Aspiration hazard | | | | |
| Name | | Result | | |
| Distillates (petroleum), hydrotre | eated light paraffinic | ASPIRATI | ON HAZARD - Ca | tegory 1 |
| | | | | |
| Information on likely routes of exposure | Routes of entry anticipate | d: Dermal, Inhalation. | | |
| Potential acute health effects | | | | |
| Eye contact | No known significant effe | cts or critical hazards. | | |
| Inhalation | Vapour inhalation under a vapour pressure. | ambient conditions is not | normally a problen | n due to low |
| Skin contact | No known significant effe | cts or critical hazards. | | |
| Ingestion | Aspiration hazard if swall | owed harmful or fatal if | liquid is aspirated | into lungs. |
| Symptoms related to the physi | ical, chemical and toxicol | ogical characteristics | | |
| Eye contact | No specific data. | | | |
| Inhalation | No specific data. | | | |
| Skin contact | No specific data. | | | |
| Ingestion | Adverse symptoms may i nausea or vomiting | nclude the following: | | |
| Delayed and immediate effects | as well as chronic effects | s from short and long-te | erm exposure | |
| Eye contact | Potential risk of transient | stinging or redness if acc | idental eye contac | t occurs. |
| Product name Hyspin AWH 15 | | Product code | 453033-AU24 | Page: 6/9 |
| Version 2.02 Date of issue 8 | /16/2023 | Format Australia | Language | ENGLISH |
| | | (Australia) | | (ENGLISH) |

Section 11. Toxicological information

| Inhalation | Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. |
|-----------------------|--|
| Skin contact | Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/ or dermatitis. |
| Ingestion | Ingestion of large quantities may cause nausea and diarrhoea. |
| General | No known significant effects or critical hazards. |
| Carcinogenicity | No known significant effects or critical hazards. |
| Mutagenicity | No known significant effects or critical hazards. |
| Teratogenicity | No known significant effects or critical hazards. |
| Developmental effects | No known significant effects or critical hazards. |
| Fertility effects | No known significant effects or critical hazards. |

Section 12. Ecological information

Persistence and degradability

Expected to be biodegradable.

Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

| <u>Mobility in soil</u> | |
|---|---|
| Soil/water partition coefficient (Koc) | Not available. |
| Mobility | Spillages may penetrate the soil causing ground water contamination. |
| Other ecological information | Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired. |

Section 13. Disposal considerations

| Disposal methods | The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. |
|---|---|
| Special Precautions for Landfill or Incineration | No additional special precautions identified. |

| Product name | Hyspin AWH 15 | 5 | Product code | 453033-AU24 | Page: 7/9 |
|--------------|---------------|-----------|------------------|-------------|-----------|
| Version 2.02 | Date of issue | 8/16/2023 | Format Australia | Language | ENGLISH |
| | | | (Australia) | | (ENGLISH) |

Section 14. Transport information

| | ADG | IMDG | IATA |
|-------------------------------|----------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - |
| Transport hazard class(es) | - | - | - |
| Packing group | - | - | - |
| Environmental hazards | No. | No. | No. |
| Additional information | - | - | - |

Special precautions for user Not available.

Section 15. Regulatory information

| Standard for the Uniform Scheduling | of Medicines and Poisons |
|-------------------------------------|--------------------------|
|-------------------------------------|--------------------------|

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

International lists

National inventory REACH Status

Canada inventory

Australia inventory (AIIC)

China inventory (IECSC)

Japan inventory (CSCL)

Korea inventory (KECI)

Philippines inventory

Taiwan Chemical

(PICCS)

For the REACH status of this product please consult your company contact, as identified in Section 1.

All components are listed or exempted.

Not determined.

Substances Inventory (TCSI) United States inventory (TSCA 8b)

All components are active or exempted.

| Product name Hyspin AWH 15 | Product code | 453033-AU24 | Page: 8/9 |
|--------------------------------------|------------------|-------------|-----------|
| Version 2.02 Date of issue 8/16/2023 | Format Australia | Language | ENGLISH |
| | (Australia) | | (ENGLISH) |

Section 16. Any other relevant information

| <u>History</u> | |
|--------------------------------|--|
| Date of printing | 8/16/2023 |
| Date of issue/Date of revision | 8/16/2023 |
| Date of previous issue | 8/15/2023 |
| Version | 2.02 |
| Prepared by | Product Stewardship |
| Key to abbreviations | ADG = Australian Dangerous Goods ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) NOHSC = National Occupational Health and Safety Commission REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006] STEL = Short term exposure limit SUSMP = Standard Uniform Schedule of Medicine and Poisons UN = United Nations TWA = Time weighted average VOC = Volatile Organic Compound SADT = Self-Accelerating Decomposition Temperature Varies = may contain one or more of the following 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4, 64742-01-4, 64742-44-5, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-57-0, 64742-58-1, 64742-62-7, 64742-63-8, 64742-65-0, 64742-70-7, 72623-85-9, 72623-86-0, 72623-87-1 |

Procedure used to derive the classification

| Classification | Justification |
|--------------------------------|--------------------|
| ASPIRATION HAZARD - Category 1 | Calculation method |

✓ Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

| Product name Hyspin AWH 15 | Product code | 453033-AU24 | Page: 9/9 |
|--------------------------------------|------------------|-------------|-----------|
| Version 2.02 Date of issue 8/16/2023 | Format Australia | Language | ENGLISH |
| | (Australia) | | (ENGLISH) |

SAFETY DATA SHEET



Hyspin AWH 32

Section 1. Identification

| GHS product identifier | Hyspin AWH 32 |
|----------------------------------|---|
| Product code | 450410-AU22 |
| SDS no. | 450410 |
| Relevant identified uses of the | substance or mixture and uses advised against |
| Use of the substance/ mixture | Hydraulic fluid For specific application advice see appropriate Technical Data Sheet or consult our company representative. |
| Manufacturer | |
| Supplier | Castrol Australia Pty Ltd Level 17, 717 Bourke Street Docklands, Victoria 3008 ABN 87 008 459 407 www.castrol.com.au |
| | Tel: +61 (03) 9268 4111 |
| EMERGENCY TELEPHONE NUMBER | +61 2801 44558 (or 1800 14 14 74 within Australia) |
| OTHER PRODUCT INFORMATION | Technical Advice Helpline Number: 1300 557 998 |

Section 2. Hazard(s) identification

Classification of the substance or mixture

Not classified.

| GHS label elements | |
|---|---|
| Signal word | No signal word. |
| Hazard statements | No known significant effects or critical hazards. |
| Precautionary statements | |
| Prevention | Not applicable. |
| Response | Not applicable. |
| Storage | Not applicable. |
| Disposal | Not applicable. |
| Supplemental label elements | Not applicable. |
| Other hazards which do not result in classification | Defatting to the skin. Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. See 'Notes to physician' under First-Aid Measures, Section 4 of this Safety Data Sheet. |

Product nameHyspin AWH 32Version 6Date of issue10/10/2023

Section 3. Composition and ingredient information

Substance/mixture Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

| Ingredient name | % (w/w) | CAS number |
|--|-----------|------------|
| ₱istillates (petroleum), hydrotreated light paraffinic | ≥10 - ≤30 | 64742-55-8 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description of necessary mist and measure | Description of | of necessary | y first aid | measures |
|---|-----------------------|--------------|-------------|----------|
|---|-----------------------|--------------|-------------|----------|

| Eye contact | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention. | | |
|--------------|---|--|--|
| Inhalation | If inhaled, remove to fresh air. Get medical attention if symptoms occur. | | |
| Skin contact | Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. | | |
| Ingestion | Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. | | |

Most important symptoms/effects, acute and delayed

See Section 11 for more detailed information on health effects and symptoms. Indication of immediate medical attention and special treatment needed, if necessary Notes to physician Treatment should in general be symptomatic and directed to relieving any effects. Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes. **Specific treatments** No specific treatment. **Protection of first-aiders** No action shall be taken involving any personal risk or without suitable training.

Section 5. Firefighting measures

| Extinguishing media | |
|--|--|
| Suitable extinguishing media | In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. |
| Unsuitable extinguishing media | Do not use water jet. |
| Specific hazards arising from the chemical | In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous thermal decomposition products | Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) |
| Product name Hyspin AWH 32 | Product code 450410-AU22 Page: 2/9 |

| Product name | Hyspin AWH 32 | | Product code | 450410-AU22 | Page: 2/9 |
|--------------|---------------------|---------------|--------------|-------------|-----------|
| Version 6 | Date of issue 10/10 | 10/2023 Forma | at Australia | Language | ENGLISH |
| | | | (Australia) | | (ENGLISH) |

Section 5. Firefighting measures

| Special protective actions for fire-fighters | No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. |
|---|---|
| Special protective equipment for fire-fighters | Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. |

Section 6. Accidental release measures

| Personal precautions, protectiv | re equipment and emergency procedures | | | |
|---------------------------------|---|--|--|--|
| For non-emergency personnel | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. Floors may be slippery; use care to avoid falling. | | | |
| For emergency responders | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". | | | |
| Environmental precautions | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). | | | |
| Methods and material for conta | inment and cleaning up | | | |
| Small spill | Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. | | | |
| Large spill | Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. | | | |

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | Put on appropriate personal protective equipment (see Section 8). |
|--|--|
| Advice on general occupational hygiene | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. |
| Not suitable | Prolonged exposure to elevated temperature |

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|--|---|
| ▶ Stillates (petroleum), hydrotreated light paraffinic | Safe Work Australia (Australia). [Oil mist, refined mineral] TWA: 5 mg/m ³ 8 hours. Issued/Revised: 5/1995 Form: Mist |

Biological exposure indices

No exposure indices known.

| Appropriate engineering controls | All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process | | | | |
|-------------------------------------|---|---|---|---|--|
| | equipment will be necessa | ary to reduce emissions t | o acceptable level | IS. | |
| Individual protection measures | | | | | |
| Hygiene measures | Wash hands, forearms an eating, smoking and using Appropriate techniques sh Wash contaminated clothi safety showers are close t | the lavatory and at the e ould be used to remove ing before reusing. Ensu | end of the working potentially contam ire that eyewash s | period. ninated clothing. | |
| Eye/face protection | Safety glasses with side s | hields. | | | |
| Skin protection | | | | | |
| Hand protection | Wear protective gloves if p resistant gloves. Recomm gloves depends upon the and the condition of the gl down after repeated chem protection before they mus environments and materia developed for each intend consultation with the supp working conditions. | nended: Nitrile gloves. chemicals being handled oves (even the best cher nical exposures). Most gli st be discarded and repla I handling practices vary ed application. Gloves sl lier/manufacturer and wi | The correct choice I, the conditions of mically resistant gl oves provide only aced. Because sp , safety procedure hould therefore be th a full assessme | e of protective f work and use, love will break a short time of becific work es should be a chosen in | |
| Skin protection | Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. | | | | |
| Product name Hyspin AWH 32 | | Product code | 450410-AU22 | Page: 4/9 | |
| Version 6 Date of issue 10 | /10/2023 | Format Australia | Language | ENGLISH | |
| | | (Australia) | | (ENGLISH) | |

Section 8. Exposure controls and personal protection

| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
|------------------------|---|
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions. |
| Refer to standards: | Respiratory protection:AS/NZS 1715 and AS/NZS 1716 Gloves:AS/NZS 2161.1 Eye protection:AS/NZS 1336 and AS/NZS 1337 |
| | |

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

| <u>Appearance</u> | |
|---|--|
| Physical state | Liquid. |
| Colour | Amber. [Light] |
| Odour | Not available. |
| Odour threshold | Not available. |
| рН | Not applicable. |
| Melting point | Not available. |
| Boiling point, initial boiling point, and boiling range | Not available. |
| Flash point | Closed cup: 200°C (392°F) [Pensky-Martens ASTM D 93] |
| Evaporation rate | Not available. |
| | Not applicable. Based on - Physical state |
| Lower and upper explosion | Not available. |

| Vapour pressure | | Vapoι | Vapour Pressure at 20°C | | | Vapour pressure at 50°C | | |
|--|---|-------------|-------------------------|-------------|-----------|-------------------------|-----------|--|
| | Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method | |
| | Stillates (petroleum), hydrotreated light paraffinic | <0.08 | <0.011 | ASTM D 5191 | 1 | | | |
| Relative vapour density | Not available. | - | | | | | | |
| Relative density | Not available. | | | | | | | |
| Density | <1000 kg/m³ (<1 g/ơ | cm³) at 15° | C | | | | | |
| Solubility(ies) | | | | | | | | |
| Media | Result | | | | | | | |
| water | Not soluble | | | | | | | |
| Solubility in water | Not available. | | | | | | | |
| Partition coefficient: n- octanol/water | Not applicable. | | | | | | | |
| Auto-ignition temperature | Not available. | | | | | | | |
| Decomposition temperature | Not available. | | | | | | | |
| Viscosity | Kinematic: 32 mm ² / Kinematic: 6.3 mm ² / | | | °C (ASTM D | 445) | | | |
| Particle characteristics | | | | | | | | |
| Median particle size | Not applicable. | | | | | | | |
| Product name Hyspin AWH 32 | | | Pro | oduct code | 450410-AU | 22 F | Page: 5/9 | |
| Version 6 Date of issue 1 | 0/10/2023 | For | mat Au | stralia | Lang | uage E | ENGLISH | |
| | | | (Aı | ustralia) | | • | ENGLISH) | |

Section 10. Stability and reactivity

| Reactivity | No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information. | | | | |
|------------------------------------|---|--|--|--|--|
| Chemical stability | The product is stable. | | | | |
| Possibility of hazardous reactions | Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur. | | | | |
| Conditions to avoid | Avoid all possible sources of ignition (spark or flame). | | | | |
| Incompatible materials | Reactive or incompatible with the following materials: oxidising materials. | | | | |
| Hazardous decomposition products | Under normal conditions of storage and use, hazardous decomposition products should not be produced. | | | | |

Section 11. Toxicological information

| Information on toxicological et | ffects | | | |
|--|--|--------------------------------|--|--|
| Aspiration hazard | | | | |
| Name | | Result | | |
| Distillates (petroleum), hydrotreated light paraffinic | | ASPIRATION HAZARD - Category 1 | | |
| Information on likely routes of exposure | Routes of entry anticipated: Dermal, Ir | nhalation, Eyes. | | |
| Potential acute health effects | | | | |
| Eye contact | No known significant effects or critical hazards. | | | |
| Inhalation | Vapour inhalation under ambient conditions is not normally a problem due to low vapour pressure. | | | |
| Skin contact | Defatting to the skin. May cause skin dryness and irritation. | | | |
| Ingestion | No known significant effects or critical hazards. | | | |
| Symptoms related to the physic | ical, chemical and toxicological chara | <u>cteristics</u> | | |
| Eye contact | No specific data. | | | |
| Inhalation | No specific data. | | | |
| Skin contact | Adverse symptoms may include the fo irritation | llowing: | | |

Ingestion

Delayed and immediate effects as well as chronic effects from short and long-term exposure

dryness cracking

No specific data.

| Eye contact | Potential risk of transient stinging or redness if accidental eye contact occurs. |
|-----------------------|--|
| Inhalation | Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. |
| Skin contact | Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/ or dermatitis. |
| Ingestion | Ingestion of large quantities may cause nausea and diarrhoea. |
| General | No known significant effects or critical hazards. |
| Carcinogenicity | No known significant effects or critical hazards. |
| Mutagenicity | No known significant effects or critical hazards. |
| Teratogenicity | No known significant effects or critical hazards. |
| Developmental effects | No known significant effects or critical hazards. |
| Fertility effects | No known significant effects or critical hazards. |

| Produc | t name | Hyspin AWH 32 | | Product code | 450410-AU22 | Page: 6/9 |
|--------|------------------|------------------|-----------|------------------|-------------|-----------|
| Versio | <mark>1</mark> 6 | Date of issue 10 | 0/10/2023 | Format Australia | Language | ENGLISH |
| | | | | (Australia) | | (ENGLISH) |

Section 12. Ecological information

Persistence and degradability

Expected to be biodegradable.

Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

| <u>Mobility in soil</u> | |
|---|---|
| Soil/water partition coefficient (Koc) | Not available. |
| Mobility | Spillages may penetrate the soil causing ground water contamination. |
| Other accledical information | Spills may form a film on water surfaces causing physical damage to organis |

Other ecological informationSpills may form a film on water surfaces causing physical damage to organisms.Oxygen transfer could also be impaired.

Section 13. Disposal considerations

| Disposal methods | The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or |
|-------------------------|---|
| | material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. |
| Special Precautions for | No additional special precautions identified. |

Landfill or Incineration

Section 14. Transport information

| | ADG | IMDG | ΙΑΤΑ |
|-------------------------------|----------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - |
| Transport hazard class(es) | - | - | - |
| Packing group | - | - | - |
| Environmental hazards | No. | No. | No. |
| Additional information | - | - | - |

| Product nam | ne Hyspin AWH 32 | Product code | 450410-AU22 F | Page: 7/9 |
|-------------|--------------------------|------------------|---------------|-----------|
| Version 6 | Date of issue 10/10/2023 | Format Australia | Language E | NGLISH |
| | | (Australia) | (| ENGLISH) |

Section 14. Transport information

Special precautions for user Not available.

Section 15. Regulatory information Standard for the Uniform Scheduling of Medicines and Poisons Not regulated. Model Work Health and Safety Regulations - Scheduled Substances No listed substance **Montreal Protocol** Not listed. Stockholm Convention on Persistent Organic Pollutants Not listed. Rotterdam Convention on Prior Informed Consent (PIC) Not listed. **International lists National inventory REACH Status** For the REACH status of this product please consult your company contact, as identified in Section 1. Australia inventory (AIIC) All components are listed or exempted. **Canada inventory** All components are listed or exempted. At least one component is not listed. China inventory (IECSC) Japan inventory (CSCL) At least one component is not listed. Korea inventory (KECI) All components are listed or exempted. **Philippines inventory** At least one component is not listed. (PICCS) **Taiwan Chemical** At least one component is not listed. **Substances Inventory** (TCSI) **United States inventory** All components are active or exempted. (TSCA 8b) Section 16. Any other relevant information **History Date of printing** 10/10/2023

| Date of issue/Date of revision | 10/10/2023 | | | |
|--------------------------------|--|---|-------------------------------------|-------------|
| Date of previous issue | 9/22/2023 | | | |
| Version | 6 | | | |
| Prepared by | Product Stewardshi | p | | |
| Key to abbreviations | IATA = International IBC = Intermediate I IMDG = Internationa LogPow = logarithm MARPOL = Internat | y Estimate ition Factor monized System of Classificati Air Transport Association | coefficient ntion of Pollution I | From Ships, |
| Product name Hyspin AW | /H 32 | Product code | 450410-AU22 | Page: 8/9 |
| Version 6 Date of is | sue 10/10/2023 | Format Australia | Language | ENGLISH |
| | | (Australia) | | (ENGLISH) |

Section 16. Any other relevant information

NOHSC = National Occupational Health and Safety Commission REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006] STEL = Short term exposure limit SUSMP = Standard Uniform Schedule of Medicine and Poisons UN = United Nations TWA = Time weighted average VOC = Volatile Organic Compound SADT = Self-Accelerating Decomposition Temperature Varies = may contain one or more of the following 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4, 64742-01-4, 64742-44-5, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7, 64742-01-4, 64742-56-9, 64742-57-0, 64742-58-1, 64742-62-7, 64742-63-8, 64742-65-0, 64742-70-7, 72623-85-9, 72623-86-0, 72623-87-1

Procedure used to derive the classification

| Classification | Justification |
|-----------------|---------------|
| Not classified. | |

Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

SAFETY DATA SHEET



Hyspin AWH 46

Section 1. Identification

| GHS product identifier | Hyspin AWH 46 |
|----------------------------------|---|
| Product code | 450411-AU22 |
| SDS no. | 450411 |
| Relevant identified uses of the | e substance or mixture and uses advised against |
| Use of the substance/ mixture | Hydraulic fluid For specific application advice see appropriate Technical Data Sheet or consult our company representative. |
| Manufacturer | |
| Supplier | Castrol Australia Pty Ltd Level 17, 717 Bourke Street Docklands, Victoria 3008 ABN 87 008 459 407 www.castrol.com.au |
| | Tel: +61 (03) 9268 4111 |
| EMERGENCY TELEPHONE NUMBER | +61 2801 44558 (or 1800 14 14 74 within Australia) |
| OTHER PRODUCT INFORMATION | Technical Advice Helpline Number: 1300 557 998 |

Section 2. Hazard(s) identification

Classification of the substance or mixture

Not classified.

| GHS label elements | |
|---|---|
| Signal word | No signal word. |
| Hazard statements | No known significant effects or critical hazards. |
| Precautionary statements | |
| Prevention | Not applicable. |
| Response | Not applicable. |
| Storage | Not applicable. |
| Disposal | Not applicable. |
| Supplemental label elements | Not applicable. |
| Other hazards which do not result in classification | Defatting to the skin. Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. See 'Notes to physician' under First-Aid Measures, Section 4 of this Safety Data Sheet. |

Product nameHyspin AWH 46Version 8Date of issue10/10/2023

Section 3. Composition and ingredient information

Substance/mixture Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

| Ingredient name | % (w/w) | CAS number |
|---|-----------|------------|
| ₱stillates (petroleum), hydrotreated heavy paraffinic | ≥10 - ≤30 | 64742-54-7 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description o | f necessary | first aid | measures |
|----------------------|-------------|-----------|----------|
| | | | |

| Eye contact | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention. |
|--------------|---|
| Inhalation | If inhaled, remove to fresh air. Get medical attention if symptoms occur. |
| Skin contact | Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
| Ingestion | Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |

Most important symptoms/effects, acute and delayed

See Section 11 for more detailed information on health effects and symptoms. Indication of immediate medical attention and special treatment needed, if necessary Notes to physician Treatment should in general be symptomatic and directed to relieving any effects. Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes. **Specific treatments** No specific treatment. **Protection of first-aiders** No action shall be taken involving any personal risk or without suitable training.

Section 5. Firefighting measures

| Extinguishing media | |
|--|--|
| Suitable extinguishing media | In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. |
| Unsuitable extinguishing media | Do not use water jet. |
| Specific hazards arising from the chemical | In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous thermal decomposition products | Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) |
| Product name Hyspin AWH 46 | Product code 450411-AU22 Page: 2/9 |

| Product name | Hyspin AWH 46 | Product code | 450411-AU22 Page: 2/9 |
|--------------|--------------------------|------------------|-----------------------|
| Version 8 | Date of issue 10/10/2023 | Format Australia | Language ENGLISH |
| | | (Australia) | (ENGLISH) |

Section 5. Firefighting measures

| Special protective actions for fire-fighters | No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. |
|---|---|
| Special protective equipment for fire-fighters | Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. |

Section 6. Accidental release measures

| Personal precautions, protectiv | re equipment and emergency procedures |
|---------------------------------|---|
| For non-emergency personnel | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. Floors may be slippery; use care to avoid falling. |
| For emergency responders | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and material for conta | inment and cleaning up |
| Small spill | Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. |

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | Put on appropriate personal protective equipment (see Section 8). |
|--|--|
| Advice on general occupational hygiene | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. |
| Not suitable | Prolonged exposure to elevated temperature |

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---|---|
| istillates (petroleum), hydrotreated heavy paraffinic | Safe Work Australia (Australia). [Oil mist, refined mineral] TWA: 5 mg/m ³ 8 hours. Issued/Revised: 5/1995 Form: Mist |

Biological exposure indices

No exposure indices known.

| | | | (Australia) | | (ENGLISH) | |
|--|------------------|--|--|--|--|--|
| Version 8 | Date of issue 10 | /10/2023 | Format Australia | Language | ENGLISH | |
| Product name | Hyspin AWH 46 | | Product code | 450411-AU22 | Page: 4/9 | |
| Skin protect | ion | Personal protective equip being performed and the before handling this produ Cotton or polyester/cotton superficial contamination laundered on a regular bac cleaning up spillages or if | ctive clothing is good industrial practice. tective equipment for the body should be selected based on the task ned and the risks involved and should be approved by a specialist ing this product. yester/cotton overalls will only provide protection against light ontamination that will not soak through to the skin. Overalls should be a regular basis. When the risk of skin exposure is high (e.g. when spillages or if there is a risk of splashing) then chemical resistant aprons vious chemical suits and boots will be required. | | | |
| Hand protec | | Wear protective gloves if resistant gloves. Recomm gloves depends upon the and the condition of the gl down after repeated chem protection before they mu environments and materia developed for each intend consultation with the supp working conditions. | nended: Nitrile gloves. chemicals being handled loves (even the best chernical exposures). Most gli st be discarded and repla al handling practices vary led application. Gloves sl blier/manufacturer and with | The correct choice I, the conditions of mically resistant gl oves provide only aced. Because sp r, safety procedure hould therefore be th a full assessme | of protective work and use, ove will break a short time of ecific work s should be chosen in | |
| Skin protection | | Carety glasses with slue s | | | | |
| Individual prot Hygiene meas Eye/face prot | | Wash hands, forearms an eating, smoking and using Appropriate techniques sh Wash contaminated cloth safety showers are close to Safety glasses with side s | g the lavatory and at the encoded be used to remove ing before reusing. Ensu- to the workstation location | end of the working potentially contam ire that eyewash s | period. iinated clothing. | |
| | | cases, fume scrubbers, fil equipment will be necessa | | | | |
| Environmental controls | exposure | Emissions from ventilation they comply with the requi | irements of environmenta | al protection legisla | ation. In some | |
| | | have been suitably evalua appropriate standards, be maintained. Your supplier of personal selection and appropriate organisation for standards Provide exhaust ventilatio airborne concentrations be The final choice of protect important to ensure that a | e suitable for use, be kept protective equipment sho standards. For further ir s. n or other engineering co elow their respective occ tive equipment will depen | in good condition ould be consulted formation contact ontrols to keep the upational exposur- id upon a risk asse | and properly for advice on your national relevant e limits. essment. It is | |
| Appropriate en controls | | ensure exposures are ade only be considered after o have been suitably evalua | other forms of control me | onal protective equ asures (e.g. engin | uipment should eering controls) | |

Section 8. Exposure controls and personal protection

| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
|----------------------------|---|
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions. |
| <u>Refer to standards:</u> | Respiratory protection:AS/NZS 1715 and AS/NZS 1716 Gloves:AS/NZS 2161.1 Eye protection:AS/NZS 1336 and AS/NZS 1337 |
| | |

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Version 8

Date of issue 10/10/2023

| Physical state | Liquid. | | | | | | |
|---|--|------------|-----------|--------------|----------|----------|--------------|
| Colour | Amber. | | | | | | |
| Odour | Not available. | | | | | | |
| Odour threshold | Not available. | | | | | | |
| рН | Not applicable. | | | | | | |
| Melting point | Not available. | | | | | | |
| Boiling point, initial boiling point, and boiling range | Not available. | | | | | | |
| Flash point | Closed cup: 220°C (| (428°F) [P | ensky-M | lartens ASTM | D 93] | | |
| Evaporation rate | Not available. | | | | | | |
| | Not applicable. Base | ed on - Ph | ysical st | ate | | | |
| Lower and upper explosion limit/flammability limit | Not available. | | | | | | |
| Vapour pressure | | Vapou | Ir Press | ure at 20°C | Vap | our pres | sure at 50°C |
| | Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method |
| | Stillates (petroleum), hydrotreated heavy paraffinic | <0.08 | <0.011 | ASTM D 5191 | | | |
| Relative vapour density | Not available. | | | ļ | | | |
| Relative density | | | | | | | |
| Density | <1000 kg/m³ (<1 g/c | m³) at 15° | C | | | | |
| Solubility(ies) | | ŗ | | | | | |
| Media | Result | | | | | | |
| water | Not soluble | | | | | | |
| Solubility in water | Not available. | | | | | | |
| Partition coefficient: n- octanol/water | Not applicable. | | | | | | |
| Auto-ignition temperature Not available. | | | | | | | |
| Decomposition temperature | re Not available. | | | | | | |
| Viscosity | Kinematic: 46 mm ² /s | s (46 cSt) | at 40°C | | | | |
| Particle characteristics | | | | | | | |
| Median particle size | Not applicable. | | | | | | |
| | | | | | | | |

Format Australia

(Australia)

Language ENGLISH

(ENGLISH)

Section 10. Stability and reactivity

| Reactivity | No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information. | | |
|------------------------------------|---|--|--|
| Chemical stability | The product is stable. | | |
| Possibility of hazardous reactions | Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur. | | |
| Conditions to avoid | Avoid all possible sources of ignition (spark or flame). | | |
| Incompatible materials | Reactive or incompatible with the following materials: oxidising materials. | | |
| Hazardous decomposition products | Under normal conditions of storage and use, hazardous decomposition products should not be produced. | | |

Section 11. Toxicological information

Information on toxicological effects

| Information on likely routes of exposure | Routes of entry anticipated: Dermal, Inhalation, Eyes. | |
|--|--|--|
| Potential acute health effects | | |
| Eye contact | No known significant effects or critical hazards. | |
| Inhalation | Vapour inhalation under ambient conditions is not normally a problem due to low vapour pressure. | |
| Skin contact | Defatting to the skin. May cause skin dryness and irritation. | |
| Ingestion | No known significant effects or critical hazards. | |
| Symptoms related to the physi | cal, chemical and toxicological characteristics | |
| Eve contact | No specific data | |

| Eye contact | No specific data. |
|--------------|--|
| Inhalation | No specific data. |
| Skin contact | Adverse symptoms may include the following: irritation dryness cracking |
| Ingestion | No specific data. |

| Delayed and immediate effects as well as chronic effects from short and long-term exposure | | | |
|---|--|--|--|
| Eye contact Potential risk of transient stinging or redness if accidental eye contact occurs. | | | |
| Inhalation | Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. | | |
| Skin contact | Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/ or dermatitis. | | |
| Ingestion | Ingestion of large quantities may cause nausea and diarrhoea. | | |
| General | No known significant effects or critical hazards. | | |
| Carcinogenicity | No known significant effects or critical hazards. | | |
| Mutagenicity | No known significant effects or critical hazards. | | |
| Teratogenicity | No known significant effects or critical hazards. | | |
| Developmental effects | No known significant effects or critical hazards. | | |
| Fertility effects | No known significant effects or critical hazards. | | |
| | | | |

Persistence and degradability

Expected to be biodegradable.

Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

| Mobility in soil | |
|--|---|
| Soil/water partition coefficient (K _{oc}) | Not available. |
| Mobility | Spillages may penetrate the soil causing ground water contamination. |
| Other ecological information | Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired. |

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Special Precautions for Landfill or Incineration

No additional special precautions identified.

Section 14. Transport information

| | ADG | IMDG | ΙΑΤΑ |
|-------------------------------|----------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - |
| Transport hazard class(es) | - | - | - |
| Packing group | - | - | - |
| Environmental hazards | No. | No. | No. |
| Additional information | - | - | - |

Special precautions for user Not available.

Section 15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

Not regulated.

(TSCA 8b)

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

| Montreal Protocol Not listed. | |
|---|---|
| Stockholm Convention on Pe Not listed. | rsistent Organic Pollutants |
| Rotterdam Convention on Pri Not listed. | or Informed Consent (PIC) |
| International lists | |
| National inventory | |
| REACH Status | For the REACH status of this product please consult your company contact, as identified in Section 1. |
| Australia inventory (AIIC) | All components are listed or exempted. |
| Canada inventory | All components are listed or exempted. |
| China inventory (IECSC) | 🗚 least one component is not listed. |
| Japan inventory (CSCL) | 🗚 least one component is not listed. |
| Korea inventory (KECI) | All components are listed or exempted. |
| Philippines inventory (PICCS) | At least one component is not listed. |
| Taiwan Chemical Substances Inventory (TCSI) | At least one component is not listed. |
| United States inventory | All components are active or exempted. |

Section 16. Any other relevant information

| <u>History</u> | | | | |
|--------------------------------|--|---|--|-----------------------------|
| Date of printing | 10/10/2023 | | | |
| Date of issue/Date of revision | 10/10/2023 | | | |
| Date of previous issue | 9/26/2023 | | | |
| Version | 8 | | | |
| Prepared by | Product Stewardship | | | |
| Key to abbreviations | IATA = International / IBC = Intermediate B IMDG = International LogPow = logarithm of MARPOL = Internation 1973 as modified by f NOHSC = National O REACH = Registration Regulation [Regulation STEL = Short term exponention] | Estimate ion Factor Air Transport Association ulk Container Maritime Dangerous Goods of the octanol/water partition onal Convention for the Preve the Protocol of 1978. ("Marpo occupational Health and Safe n, Evaluation, Authorisation a on (EC) No. 1907/2006] oposure limit Jniform Schedule of Medicine | coefficient ention of Pollution Fr ol" = marine pollution ty Commission and Restriction of Ch e and Poisons | om Ships, ı) hemicals |
| Product name Hyspin AWH | 46 | Product code | 450411-AU22 | Page: 8/9 |
| Version 8 Date of issu | e 10/10/2023 | Format Australia | Language E | ENGLISH |
| | | (Australia) | (| ENGLISH) |

Section 16. Any other relevant information

UN = United Nations TWA = Time weighted average VOC = Volatile Organic Compound SADT = Self-Accelerating Decomposition Temperature Varies = may contain one or more of the following 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4, 64742-01-4, 64742-44-5, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-57-0, 64742-58-1, 64742-62-7, 64742-63-8, 64742-65-0, 64742-70-7, 72623-85-9, 72623-86-0, 72623-87-1

Procedure used to derive the classification

| Classification | Justification | |
|-----------------|---------------|--|
| Not classified. | | |

✓ Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

SAFETY DATA SHEET



Hyspin AWH 100

Section 1. Identification

| GHS product identifier | Hyspin AWH 100 | |
|----------------------------------|---|--|
| Product code | 450413-AU22 | |
| SDS no. | 450413 | |
| Relevant identified uses of the | substance or mixture and uses advised against | |
| Use of the substance/ mixture | Hydraulic fluid For specific application advice see appropriate Technical Data Sheet or consult our company representative. | |
| Manufacturer | | |
| Supplier | Castrol Australia Pty Ltd Level 17, 717 Bourke Street Docklands, Victoria 3008 ABN 87 008 459 407 www.castrol.com.au | |
| | Tel: +61 (03) 9268 4111 | |
| EMERGENCY TELEPHONE NUMBER | +61 2801 44558 (or 1800 14 14 74 within Australia) | |
| OTHER PRODUCT INFORMATION | Technical Advice Helpline Number: 1300 557 998 | |

Section 2. Hazard(s) identification

Classification of the substance or mixture

Not classified.

| GHS label elements | | | |
|---|---|--|--|
| Signal word No signal word. | | | |
| Hazard statements | No known significant effects or critical hazards. | | |
| Precautionary statements | | | |
| Prevention | Not applicable. | | |
| Response | Not applicable. | | |
| Storage | Not applicable. | | |
| Disposal | Not applicable. | | |
| Supplemental label elements | Not applicable. | | |
| Other hazards which do not result in classification | Defatting to the skin. Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. See 'Notes to physician' under First-Aid Measures, Section 4 of this Safety Data Sheet. | | |

Product nameHyspin AWH 100Version 5Date of issue9/14/2023

Section 3. Composition and ingredient information

Substance/mixture Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

| Ingredient name | % (w/w) | CAS number |
|--|-----------|------------|
| ₱istillates (petroleum), hydrotreated heavy paraffinic | ≥60 - ≤75 | 64742-54-7 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description o | f necessary | first aid | measures |
|----------------------|-------------|-----------|----------|
| | | | |

| Eye contact | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention. |
|--------------|---|
| Inhalation | If inhaled, remove to fresh air. Get medical attention if symptoms occur. |
| Skin contact | Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
| Ingestion | Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |

Most important symptoms/effects, acute and delayed

See Section 11 for more detailed information on health effects and symptoms. Indication of immediate medical attention and special treatment needed, if necessary Notes to physician Treatment should in general be symptomatic and directed to relieving any effects. Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes. **Specific treatments** No specific treatment. **Protection of first-aiders** No action shall be taken involving any personal risk or without suitable training.

Section 5. Firefighting measures

| Extinguishing media | | | |
|--|--|--|--|
| Suitable extinguishing media | In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray. | | |
| Unsuitable extinguishing media | Do not use water jet. | | |
| Specific hazards arising from the chemical | In a fire or if heated, a pressure increase will occur and the container may burst. | | |
| Hazardous thermal decomposition products | Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) | | |
| Product name Hyspin AWH 10 |) Product code 450413-AU22 Page: 2/9 | | |

| Product name | Hyspin AWH 100 | Product code | 450413-AU22 Page: 2/9 | |
|--------------|-------------------------|------------------|-----------------------|--|
| Version 5 | Date of issue 9/14/2023 | Format Australia | Language ENGLISH | |
| | | (Australia) | (ENGLISH) | |

Section 5. Firefighting measures

| Special protective actions for fire-fighters | No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. |
|---|---|
| Special protective equipment for fire-fighters | Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. |

Section 6. Accidental release measures

| Personal precautions, protectiv | re equipment and emergency procedures |
|---------------------------------|---|
| For non-emergency personnel | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. Floors may be slippery; use care to avoid falling. |
| For emergency responders | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and material for conta | inment and cleaning up |
| Small spill | Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. |

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | Put on appropriate personal protective equipment (see Section 8). |
|--|--|
| Advice on general occupational hygiene | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. |
| Not suitable | Prolonged exposure to elevated temperature |

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---|---|
| istillates (petroleum), hydrotreated heavy paraffinic | Safe Work Australia (Australia). [Oil mist, refined mineral] TWA: 5 mg/m ³ 8 hours. Issued/Revised: 5/1995 Form: Mist |

Biological exposure indices

No exposure indices known.

| Appropriate engineering controls | All activities involving chemicals s ensure exposures are adequately only be considered after other for have been suitably evaluated. Per appropriate standards, be suitable maintained. Your supplier of personal protectiv selection and appropriate standar organisation for standards. Provide exhaust ventilation or oth airborne concentrations below the The final choice of protective equi important to ensure that all items Emissions from ventilation or wor they comply with the requirements | controlled. Perse ms of control me pronal protective of or use, be kept we equipment sho ds. For further in er engineering co pir respective occ ipment will deper of personal prote k process equipm | onal protective equ asures (e.g. engine equipment should t in good condition ould be consulted t formation contact ontrols to keep the upational exposure d upon a risk asse ective equipment a ment should be che | uipment should eering controls) d conform to and properly for advice on your national relevant e limits. essment. It is re compatible. ecked to ensure |
|-------------------------------------|--|---|--|--|
| controls | cases, fume scrubbers, filters or e equipment will be necessary to re | engineering modi | fications to the pro | cess |
| Individual protection measures | | | | |
| Hygiene measures | Wash hands, forearms and face t eating, smoking and using the law Appropriate techniques should be Wash contaminated clothing befo safety showers are close to the w | atory and at the e used to remove re reusing. Ensu | end of the working potentially contam ire that eyewash s | period. inated clothing. |
| Eye/face protection | Safety glasses with side shields. | | | |
| Skin protection | | | | |
| Hand protection | Wear protective gloves if prolongeresistant gloves. Recommended: gloves depends upon the chemica and the condition of the gloves (e down after repeated chemical exp protection before they must be dis environments and material handli developed for each intended appl consultation with the supplier/mar working conditions. | Nitrile gloves. als being handled ven the best cher oosures). Most gl scarded and repla ng practices vary ication. Gloves sl nufacturer and wi | The correct choice d, the conditions of mically resistant gl oves provide only aced. Because sp r, safety procedure hould therefore be th a full assessme | of protective work and use, ove will break a short time of ecific work s should be chosen in |
| Skin protection | Use of protective clothing is good Personal protective equipment for being performed and the risks inv before handling this product. Cotton or polyester/cotton overalls superficial contamination that will laundered on a regular basis. Wh cleaning up spillages or if there is and/or impervious chemical suits | the body should olved and should s will only provide not soak through then the risk of ski a risk of splashir | be selected based be approved by a protection agains to the skin. Over in exposure is high ng) then chemical | specialist t light alls should be n (e.g. when |
| Product name Hyspin AWH 100 | | Product code | 450413-AU22 | Page: 4/9 |
| Version 5 Date of issue 9/* | 4/2023 Forma | t Australia | Language | ENGLISH |
| | | (Australia) | | (ENGLISH) |

Section 8. Exposure controls and personal protection

| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
|----------------------------|---|
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions. |
| <u>Refer to standards:</u> | Respiratory protection:AS/NZS 1715 and AS/NZS 1716 Gloves:AS/NZS 2161.1 Eye protection:AS/NZS 1336 and AS/NZS 1337 |
| | |

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

| Physical state | Liquid. |
|--|--|
| Colour | Amber. [Light] |
| Odour | Not available. |
| Odour threshold | Not available. |
| рН | Not applicable. |
| Melting point | Not available. |
| Boiling point, initial boiling point, and boiling range | Not available. |
| Flash point | Closed cup: >190°C (>374°F) [Pensky-Martens ASTM D 93] |
| Evaporation rate | Not available. |
| | Not applicable. Based on - Physical state |
| Lower and upper explosion limit/flammability limit | Not available. |

| Vapour pressure | | Vapou | ur Press | sure at 20°C | Vapour pressure at 50°C | | |
|-------------------------|--|-------|----------|--------------|-------------------------|-----|--------|
| | Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method |
| | Stillates (petroleum), hydrotreated heavy paraffinic | <0.08 | <0.011 | ASTM D 5191 | | | |
| Relative vapour density | Not available. | | • | | | | |
| Relative density | Not available. | | | | | | |
| Density | <1000 kg/m³ (<1 g/cm³) at 15°C | | | | | | |
| Solubility(ies) | | | | | | | |
| Media | Result | | | | | | |

| Media | | Result |
|--|------|-------------------------------------|
| water | | Not soluble |
| Solubility in water | Not | available. |
| Partition coefficient: n- octanol/water | Not | applicable. |
| Auto-ignition temperature | Not | available. |
| Decomposition temperature | Not | available. |
| Viscosity | Kine | ematic: 100 mm²/s (100 cSt) at 40°C |
| Particle characteristics | | |
| Median particle size | Not | applicable. |
| | | |
| Product name Hyspin AWH 10 | 0 | Product code 450413-AU22 Page: 5/9 |

| Product name | Hyspin AWH 100 | Product code | 450413-AU22 | Page: 5/9 |
|--------------|-------------------------|------------------|-------------|-----------|
| Version 5 | Date of issue 9/14/2023 | Format Australia | Language | ENGLISH |
| | | (Australia) | | (ENGLISH) |

Section 10. Stability and reactivity

| Reactivity | No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information. |
|------------------------------------|---|
| Chemical stability | The product is stable. |
| Possibility of hazardous reactions | Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur. |
| Conditions to avoid | Avoid all possible sources of ignition (spark or flame). |
| Incompatible materials | Reactive or incompatible with the following materials: oxidising materials. |
| Hazardous decomposition products | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

| Information on likely routes of exposure | Routes of entry anticipated: Dermal, Inhalation, Eyes. |
|--|--|
| Potential acute health effects | |
| Eye contact | No known significant effects or critical hazards. |
| Inhalation | Vapour inhalation under ambient conditions is not normally a problem due to low vapour pressure. |
| Skin contact | Defatting to the skin. May cause skin dryness and irritation. |
| Ingestion | No known significant effects or critical hazards. |
| Symptoms related to the physic | cal, chemical and toxicological characteristics |

| Eye contact | No specific data. |
|--------------|--|
| Inhalation | No specific data. |
| Skin contact | Adverse symptoms may include the following: irritation dryness cracking |
| Ingestion | No specific data. |

| Delayed and immediate effect | ts as well as chronic effects from short and long-term exposure |
|------------------------------|--|
| Eye contact | Potential risk of transient stinging or redness if accidental eye contact occurs. |
| Inhalation | Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. |
| Skin contact | Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/ or dermatitis. |
| Ingestion | Ingestion of large quantities may cause nausea and diarrhoea. |
| General | No known significant effects or critical hazards. |
| Carcinogenicity | No known significant effects or critical hazards. |
| Mutagenicity | No known significant effects or critical hazards. |
| Teratogenicity | No known significant effects or critical hazards. |
| Developmental effects | No known significant effects or critical hazards. |
| Fertility effects | No known significant effects or critical hazards. |

Persistence and degradability

Expected to be biodegradable.

Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

| Mobility in soil | |
|--|---|
| Soil/water partition coefficient (K _{oc}) | Not available. |
| Mobility | Spillages may penetrate the soil causing ground water contamination. |
| Other ecological information | Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired. |

Section 13. Disposal considerations

Disposal methodsThe generation of waste should be avoided or minimised wherever possible.
Significant quantities of waste product residues should not be disposed of via the
foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus
and non-recyclable products via a licensed waste disposal contractor. Disposal of
this product, solutions and any by-products should at all times comply with the
requirements of environmental protection and waste disposal legislation and any
regional local authority requirements. Waste packaging should be recycled.
Incineration or landfill should only be considered when recycling is not feasible. This
material and its container must be disposed of in a safe way. Empty containers or
liners may retain some product residues. Avoid dispersal of spilt material and runoff
and contact with soil, waterways, drains and sewers.Special Precautions forNo additional special precautions identified.

Special Precautions for Landfill or Incineration

Section 14. Transport information

| | ADG | IMDG | IATA |
|----------------------------|----------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - |
| Transport hazard class(es) | - | - | - |
| Packing group | - | - | - |
| Environmental hazards | No. | No. | No. |
| Additional information | - | - | - |

Special precautions for user Not available.

Section 15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

Not regulated.

(TSCA 8b)

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

| Montreal Protocol Not listed. | |
|---|---|
| Stockholm Convention on Per Not listed. | rsistent Organic Pollutants |
| Rotterdam Convention on Price Not listed. | or Informed Consent (PIC) |
| International lists | |
| National inventory | |
| REACH Status | For the REACH status of this product please consult your company contact, as identified in Section 1. |
| Australia inventory (AIIC) | All components are listed or exempted. |
| Canada inventory | All components are listed or exempted. |
| China inventory (IECSC) | At least one component is not listed. |
| Japan inventory (CSCL) | At least one component is not listed. |
| Korea inventory (KECI) | All components are listed or exempted. |
| Philippines inventory (PICCS) | At least one component is not listed. |
| Taiwan Chemical Substances Inventory (TCSI) | At least one component is not listed. |
| United States inventory | All components are active or exempted. |

Section 16. Any other relevant information

| <u>History</u> | | | |
|--------------------------------|---|--|--|
| Date of printing | 9/14/2023 | | |
| Date of issue/Date of revision | 9/14/2023 | | |
| Date of previous issue | 22/07/2009 | | |
| Version | 5 | | |
| Prepared by | Product Stewardshi | р | |
| Key to abbreviations | IATA = Internationa IBC = Internationa IMDG = Internationa LogPow = logarithm MARPOL = Internat 1973 as modified by NOHSC = National REACH = Registrat Regulation [Regulat STEL = Short term SUSMP = Standard | ty Estimate ation Factor monized System of Classificat I Air Transport Association Bulk Container al Maritime Dangerous Goods of the octanol/water partition cional Convention for the Preve y the Protocol of 1978. ("Marpo Occupational Health and Safe ion, Evaluation, Authorisation a cion (EC) No. 1907/2006] exposure limit Uniform Schedule of Medicine | ntion of Pollution From Ships, I" = marine pollution) ty Commission and Restriction of Chemicals e and Poisons |
| Product name Hyspin A | WH 100 | Product code | 450413-AU22 Page: 8/9 |
| Version 5 Date of | issue 9/14/2023 | Format Australia | Language ENGLISH |
| | | (Australia) | (ENGLISH) |

Section 16. Any other relevant information

UN = United Nations TWA = Time weighted average VOC = Volatile Organic Compound SADT = Self-Accelerating Decomposition Temperature Varies = may contain one or more of the following 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4, 64742-01-4, 64742-44-5, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-57-0, 64742-58-1, 64742-62-7, 64742-63-8, 64742-65-0, 64742-70-7, 72623-85-9, 72623-86-0, 72623-87-1

Procedure used to derive the classification

| Classification | Justification |
|-----------------|---------------|
| Not classified. | |

✓ Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.