


Materials: (HSS) M2 Tungsten High Speed Steel.
Shank Hardness: 64 +/- 2 Hrc
Head Hardness: 50 +/- 5 Hrc

Materials: (A2) 12% Chromium Tool Steel
Shank Hardness: 64 +/- 2 Hrc
Head Hardness: 45 +/- 5 Hrc

Dia. d1	Dia d3	d2	A	l3	HSS	
					20	28
1.00	6	8	2.5	2	DIB-0100-20-M2	DIB-0100-28-M2
1.05	6	8	2.5	2	DIB-0105-20-M2	
1.10	6	8	2.5	2	DIB-0110-20-M2	DIB-0110-28-M2
1.20	6	8	2.5	2	DIB-0120-20-M2	DIB-0120-28-M2
1.30	6	8	2.5	2	DIB-0130-20-M2	DIB-0130-28-M2
1.40	6	8	2.5	2	DIB-0140-20-M2	DIB-0140-28-M2
1.50	6	8	2.5	2	DIB-0150-20-M2	DIB-0150-28-M2
1.60	6	8	2.5	2	DIB-0160-20-M2	DIB-0160-28-M2
1.70	6	8	2.5	2	DIB-0170-20-M2	DIB-0170-28-M2
1.75	6	8	2.5	2	DIB-0175-20-M2	DIB-0175-28-M2
1.80	6	8	2.5	2	DIB-0180-20-M2	DIB-0180-28-M2
1.90	6	8	2.5	2	DIB-0190-20-M2	DIB-0190-28-M2
2.00	6	8	2.5	2	DIB-0200-20-M2	DIB-0200-28-M2
2.10	7	9	3.5	3	DIB-0210-20-M2	DIB-0210-28-M2
2.20	7	9	3.5	3	DIB-0220-20-M2	DIB-0220-28-M2
2.25	7	9	3.5	3	DIB-0225-20-M2	DIB-0225-28-M2
2.30	7	9	3.5	3	DIB-0230-20-M2	DIB-0230-28-M2
2.40	7	9	3.5	3	DIB-0240-20-M2	DIB-0240-28-M2
2.50	7	9	3.5	3	DIB-0250-20-M2	DIB-0250-28-M2
2.60	7	9	3.5	3	DIB-0260-20-M2	DIB-0260-28-M2
2.70	7	9	3.5	3	DIB-0270-20-M2	DIB-0270-28-M2
2.75	7	9	3.5	3	DIB-0275-20-M2	DIB-0275-28-M2
2.80	7	9	3.5	3	DIB-0280-20-M2	DIB-0280-28-M2
2.90	7	9	3.5	3	DIB-0290-20-M2	DIB-0290-28-M2
3.00	7	9	3.5	3	DIB-0300-20-M2	DIB-0300-28-M2
3.05	7	9	3.5	3	DIB-0305-20-M2	DIB-0305-28-M2
3.10	8	10	4.5	4	DIB-0310-20-M2	DIB-0310-28-M2
3.20	8	10	4.5	4	DIB-0320-20-M2	DIB-0320-28-M2
3.25	8	10	4.5	4	DIB-0325-20-M2	DIB-0325-28-M2
3.30	8	10	4.5	4	DIB-0330-20-M2	DIB-0330-28-M2
3.40	8	10	4.5	4	DIB-0340-20-M2	DIB-0340-28-M2
3.50	8	10	4.5	4	DIB-0350-20-M2	DIB-0350-28-M2
3.60	8	10	4.5	4	DIB-0360-20-M2	DIB-0360-28-M2
3.70	8	10	4.5	4	DIB-0370-20-M2	DIB-0370-28-M2
3.75	8	10	4.5	4	DIB-0375-20-M2	DIB-0375-28-M2
3.80	8	10	4.5	4	DIB-0380-20-M2	DIB-0380-28-M2
3.90	8	10	4.5	4	DIB-0390-20-M2	DIB-0390-28-M2

Dia. d1	Dia d3	d2	A	l3	A2	
					20	28
1.00	6	8	2.5	2	DIB-0100-20-A2	DIB-0100-28-A2
1.05	6	8	2.5	2	DIB-0105-20-A2	DIB-0105-20-A2
1.10	6	8	2.5	2	DIB-0110-20-A2	DIB-0110-28-A2
1.20	6	8	2.5	2	DIB-0110-20-A2	DIB-0110-28-A2
1.30	6	8	2.5	2	DIB-0120-20-A2	DIB-0120-28-A2
1.40	6	8	2.5	2	DIB-0130-20-A2	DIB-0130-28-A2
1.50	6	8	2.5	2	DIB-0140-20-A2	DIB-0140-28-A2
1.60	6	8	2.5	2	DIB-0150-20-A2	DIB-0150-28-A2
1.70	6	8	2.5	2	DIB-0160-20-A2	DIB-0160-28-A2
1.75	6	8	2.5	2	DIB-0170-20-A2	DIB-0170-28-A2
1.80	6	8	2.5	2	DIB-0175-20-A2	DIB-0175-28-A2
1.90	7	9	3.5	3	DIB-0180-20-A2	DIB-0180-28-A2
2.00	7	9	3.5	3	DIB-0200-20-A2	DIB-0200-28-A2
2.10	7	9	3.5	3	DIB-0210-20-A2	DIB-0210-28-A2
2.20	7	9	3.5	3	DIB-0220-20-A2	DIB-0220-28-A2
2.25	7	9	3.5	3	DIB-0225-20-A2	DIB-0225-28-A2
2.30	7	9	3.5	3	DIB-0230-20-A2	DIB-0230-28-A2
2.40	7	9	3.5	3	DIB-0240-20-A2	DIB-0240-28-A2
2.50	7	9	3.5	3	DIB-0250-20-A2	DIB-0250-28-A2
2.60	7	9	3.5	3	DIB-0260-20-A2	DIB-0260-28-A2
2.70	7	9	3.5	3	DIB-0270-20-A2	DIB-0270-28-A2
2.75	7	9	3.5	3	DIB-0275-20-A2	DIB-0275-28-A2
2.80	7	9	3.5	3	DIB-0280-20-A2	DIB-0280-28-A2
2.90	7	9	3.5	3	DIB-0290-20-A2	DIB-0290-28-A2
3.00	7	9	3.5	3	DIB-0300-20-A2	DIB-0300-28-A2
3.05	7	9	3.5	3	DIB-0305-20-A2	DIB-0305-28-A2
3.10	7	9	3.5	3	DIB-0310-20-A2	DIB-0310-28-A2
3.20	7	9	3.5	3	DIB-0320-20-A2	DIB-0320-28-A2
3.25	7	9	3.5	3	DIB-0325-20-A2	DIB-0325-28-A2
3.30	7	9	3.5	3	DIB-0330-20-A2	DIB-0330-28-A2
3.40	8	10	4.5	4	DIB-0340-20-M2	DIB-0340-28-M2
3.50	8	10	4.5	4	DIB-0350-20-M2	DIB-0350-28-M2
3.60	8	10	4.5	4	DIB-0360-20-M2	DIB-0360-28-M2
3.70	8	10	4.5	4	DIB-0370-20-M2	DIB-0370-28-M2
3.75	8	10	4.5	4	DIB-0375-20-M2	DIB-0375-28-M2
3.80	8	10	4.5	4		DIB-0380-28-M2
3.90	8	10	4.5	4	DIB-0390-20-M2	DIB-0390-28-M2

Continues next page.




Materials: (HSS) M2 Tungsten High Speed Steel.
Shank Hardness: 64 +/- 2 Hrc
Head Hardness: 50 +/- 5 Hrc

Materials: (A2) 12% Chromium Tool Steel
Shank Hardness: 64 +/- 2 Hrc
Head Hardness: 45 +/- 5 Hrc

Dia. d1	Dia d3	d2	A	l3	HSS	
					20	28
4.00	8	10	4.5	4	DIB-0400-20-M2	DIB-0400-28-M2
4.10	10	12	5.5	4	DIB-0410-20-M2	DIB-0410-28-M2
4.20	10	12	5.5	4	DIB-0420-20-M2	DIB-0420-28-M2
4.25	10	12	5.5	4	DIB-0425-20-M2	
4.30	10	12	5.5	4	DIB-0430-20-M2	DIB-0430-28-M2
4.40	10	12	5.5	4	DIB-0440-20-M2	DIB-0440-28-M2
4.50	10	12	5.5	4	DIB-0450-20-M2	DIB-0450-28-M2
4.60	10	12	5.5	4	DIB-0460-20-M2	DIB-0460-28-M2
4.70	10	12	5.5	4	DIB-0470-20-M2	DIB-0470-28-M2
4.75	10	12	5.5	4	DIB-0475-20-M2	
4.80	10	12	5.5	4	DIB-0480-20-M2	DIB-0480-28-M2
4.90	10	12	5.5	4	DIB-0490-20-M2	DIB-0490-28-M2
5.00	12	14	6.5	4	DIB-0500-20-M2	DIB-0500-28-M2
5.10	12	14	6.5	4	DIB-0510-20-M2	DIB-0510-28-M2
5.20	12	14	6.5	4	DIB-0520-20-M2	DIB-0520-28-M2
5.25	12	14	6.5	4	DIB-0525-20-M2	
5.30	12	14	6.5	4	DIB-0530-20-M2	DIB-0530-28-M2
5.40	12	14	6.5	4	DIB-0540-20-M2	DIB-0540-28-M2
5.50	12	14	6.5	4	DIB-0550-20-M2	DIB-0550-28-M2
5.60	12	14	6.5	4	DIB-0560-20-M2	DIB-0560-28-M2
5.70	12	14	6.5	4	DIB-0570-20-M2	DIB-0570-28-M2
5.75	12	14	6.5	4	DIB-0575-20-M2	
5.80	12	14	6.5	4	DIB-0580-20-M2	DIB-0580-28-M2
5.90	12	14	6.5	4	DIB-0590-20-M2	DIB-0590-28-M2
6.00	12	14	6.5	4	DIB-0600-20-M2	DIB-0600-28-M2
6.10	15	17	7.5	4	DIB-0610-20-M2	DIB-0610-28-M2
6.20	15	17	7.5	4	DIB-0620-20-M2	DIB-0620-28-M2
6.25	15	17	7.5	4	DIB-0625-20-M2	
6.30	15	17	7.5	4	DIB-0630-20-M2	DIB-0630-28-M2
6.40	15	17	7.5	4	DIB-0640-20-M2	DIB-0640-28-M2

Dia. d1	Dia d3	d2	A	l3	A2	
					20	28
4.00	8	10	4.5	4	DIB-0400-20-A2	DIB-0400-28-A2
4.10	10	12	5.5	4	DIB-0410-20-A2	DIB-0410-28-A2
4.20	10	12	5.5	4		DIB-0420-28-A2
4.30	10	12	5.5	4	DIB-0430-20-A2	DIB-0430-28-A2
4.40	10	12	5.5	4	DIB-0440-20-A2	DIB-0440-28-A2
4.50	10	12	5.5	4	DIB-0450-20-A2	DIB-0450-28-A2
4.60	10	12	5.5	4	DIB-0460-20-A2	DIB-0460-28-A2
4.70	10	12	5.5	4	DIB-0470-20-A2	DIB-0470-28-A2
4.75	10	12	5.5	4		DIB-0475-20-A2
4.80	10	12	5.5	4		DIB-0480-28-A2
4.90	10	12	5.5	4		DIB-0490-28-A2
5.00	12	14	6.5	4		DIB-0500-28-A2
5.10	12	14	6.5	4		DIB-0510-28-A2
5.20	12	14	6.5	4		DIB-0520-28-A2
5.25	12	14	6.5	4		DIB-0525-20-A2
5.30	12	14	6.5	4		DIB-0530-28-A2
5.40	12	14	6.5	4		DIB-0540-28-A2
5.50	12	14	6.5	4		DIB-0550-28-A2
5.60	12	14	6.5	4	DIB-0560-20-A2	DIB-0560-28-A2
5.70	12	14	6.5	4		DIB-0570-28-A2
5.75	12	14	6.5	4		DIB-0575-28-A2
5.80	12	14	6.5	4		DIB-0580-28-A2
5.90	12	14	6.5	4		DIB-0590-28-A2
6.00	12	14	6.5	4		DIB-0600-28-A2
6.10	15	17	7.5	4	DIB-0610-20-A2	DIB-0610-28-A2
6.20	15	17	7.5	4		DIB-0620-28-A2
6.30	15	17	7.5	4		DIB-0630-28-A2
6.40	15	17	7.5	4		DIB-0640-28-A2

Continues next page.




Materials: (HSS) M2 Tungsten High Speed Steel.
Shank Hardness: 64 +/- 2 Hrc
Head Hardness: 50 +/- 5 Hrc

Materials: (A2) 12% Chromium Tool Steel
Shank Hardness: 64 +/- 2 Hrc
Head Hardness: 45 +/- 5 Hrc

Dia. d1	Dia d3	d2	A	l3	HSS	
					20	28
6.50	15	17	7.5	4	DIB-0650-20-M2	DIB-0650-28-M2
6.60	15	17	7.5	4	DIB-0660-20-M2	DIB-0660-28-M2
6.70	15	17	7.5	4	DIB-0670-20-M2	DIB-0670-28-M2
6.75	15	17	7.5	4	DIB-0675-20-M2	
6.80	15	17	7.5	4	DIB-0680-20-M2	DIB-0680-28-M2
6.90	15	17	7.5	4	DIB-0690-20-M2	DIB-0690-28-M2
7.00	15	17	7.5	4	DIB-0700-20-M2	DIB-0700-28-M2
7.10	15	17	7.5	4	DIB-0710-20-M2	DIB-0710-28-M2
7.20	15	17	7.5	4	DIB-0720-20-M2	DIB-0720-28-M2
7.25	15	17	7.5	4	DIB-0725-20-M2	
7.30	15	17	7.5	4	DIB-0730-20-M2	DIB-0730-28-M2
7.40	15	17	7.5	4	DIB-0740-20-M2	DIB-0740-28-M2
7.50	15	17	7.5	4	DIB-0750-20-M2	DIB-0750-28-M2
7.60	15	17	7.5	4	DIB-0760-20-M2	DIB-0760-28-M2
7.70	15	17	7.5	4	DIB-0770-20-M2	DIB-0770-28-M2
7.75	15	17	7.5	4	DIB-0775-20-M2	
7.80	15	17	7.5	4	DIB-0780-20-M2	DIB-0780-28-M2
7.90	15	17	7.5	4	DIB-0790-20-M2	DIB-0790-28-M2
8.00	15	17	7.5	4	DIB-0800-20-M2	DIB-0800-28-M2
8.10	18	20	9.5	4	DIB-0810-20-M2	DIB-0810-28-M2
8.20	18	20	9.5	4	DIB-0820-20-M2	DIB-0820-28-M2
8.25	18	20	9.5	4	DIB-0825-20-M2	
8.30	18	20	9.5	4	DIB-0830-20-M2	DIB-0830-28-M2
8.40	18	20	9.5	4	DIB-0840-20-M2	DIB-0840-28-M2
8.50	18	20	9.5	4	DIB-0850-20-M2	DIB-0850-28-M2
8.60	18	20	9.5	4	DIB-0860-20-M2	DIB-0860-28-M2
8.70	18	20	9.5	4	DIB-0870-20-M2	DIB-0870-28-M2
8.75	18	20	9.5	4	DIB-0875-20-M2	
8.80	18	20	9.5	4	DIB-0880-20-M2	DIB-0880-28-M2
8.90	18	20	9.5	4	DIB-0890-20-M2	DIB-0890-28-M2
9.00	18	20	9.5	4	DIB-0900-20-M2	DIB-0900-28-M2
9.10	18	20	9.5	4	DIB-0910-20-M2	DIB-0910-28-M2
9.20	18	20	9.5	4	DIB-0920-20-M2	DIB-0920-28-M2
9.25	18	20	9.5	4	DIB-0925-20-M2	
9.30	18	20	9.5	4	DIB-0930-20-M2	DIB-0930-28-M2
9.40	18	20	9.5	4	DIB-0940-20-M2	DIB-0940-28-M2
9.50	18	20	9.5	4	DIB-0950-20-M2	DIB-0950-28-M2
9.60	18	20	9.5	4	DIB-0960-20-M2	DIB-0960-28-M2
9.70	18	20	9.5	4	DIB-0970-20-M2	DIB-0970-28-M2
9.75	18	20	9.5	4	DIB-0975-20-M2	
9.80	18	20	9.5	4	DIB-0980-20-M2	DIB-0980-28-M2

Dia. d1	Dia d3	d2	A	l3	A2	
					20	28
6.50	15	17	7.5	4		DIB-0650-28-A2
6.60	15	17	7.5	4	DIB-0660-20-A2	DIB-0660-28-A2
6.70	15	17	7.5	4		DIB-0670-28-A2
6.75	15	17	7.5	4		
6.80	15	17	7.5	4		DIB-0690-28-M2
6.90	15	17	7.5	4		DIB-0690-28-M2
7.00	15	17	7.5	4		DIB-0700-28-A2
7.10	15	17	7.5	4	DIB-0710-20-A2	DIB-0710-28-A2
7.20	15	17	7.5	4		DIB-0720-28-A2
7.30	15	17	7.5	4		DIB-0730-28-A2
7.40	15	17	7.5	4		DIB-0740-28-A2
7.50	15	17	7.5	4		DIB-0750-28-A2
7.60	15	17	7.5	4	DIB-0760-20-A2	DIB-0760-28-A2
7.70	15	17	7.5	4		DIB-0770-28A2
7.80	15	17	7.5	4		DIB-0790-28-A2
7.90	15	17	7.5	4		DIB-0790-28-A2
8.00	15	17	7.5	4		DIB-0800-28-A2
8.10	18	20	9.5	4	DIB-0810-20-A2	DIB-0810-28-A2
8.20	18	20	9.5	4		DIB-0820-28-A2
8.30	18	20	9.5	4		DIB-0830-28-A2
8.40	18	20	9.5	4		DIB-0840-28-A2
8.50	18	20	9.5	4		DIB-0850-28-A2
8.60	18	20	9.5	4	DIB-0860-20-A2	DIB-0860-28-A2
8.70	18	20	9.5	4		DIB-0870-28-A2
8.80	18	20	9.5	4		DIB-0880-28-A2
8.90	18	20	9.5	4		DIB-0890-28-A2
9.00	18	20	9.5	4		DIB-0900-28-A2
9.10	18	20	9.5	4	DIB-0910-20-A2	DIB-0910-28-A2
9.20	18	20	9.5	4		DIB-0920-28-A2
9.30	18	20	9.5	4	DIB-0930-20-A2	DIB-0930-28-A2
9.40	18	20	9.5	4	DIB-0940-20-A2	DIB-0940-28-A2
9.50	18	20	9.5	4	DIB-0950-20-A2	DIB-0950-28-A2
9.60	18	20	9.5	4	DIB-0960-20-A2	DIB-0960-28-A2
9.70	18	20	9.5	4		DIB-0970-28-A2
9.80	18	20	9.5	4		DIB-0980-28-A2

Continues next page.




Materials: (HSS) M2 Tungsten High Speed Steel.
Shank Hardness: 64 +/- 2 Hrc
Head Hardness: 50 +/- 5 Hrc

Materials: (A2) 12% Chromium Tool Steel
Shank Hardness: 64 +/- 2 Hrc
Head Hardness: 45 +/- 5 Hrc

Dia. d1	Dia d3	d2	A	l3	HSS	
					20	28
9.90	18	20	9.5	4	DIB-0990-20-M2	DIB-0990-28-M2
10.00	18	20	9.5	4	DIB-1000-20-M2	DIB-1000-28-M2
10.10	22	24	12	4	DIB-1010-20-M2	DIB-1010-28-M2
10.20	22	24	12	4	DIB-1020-20-M2	DIB-1020-28-M2
10.25	22	24	12	4		DIB-1025-28-M2
10.30	22	24	12	4	DIB-1030-20-M2	DIB-1030-28-M2
10.40	22	24	12	4	DIB-1040-20-M2	DIB-1040-28-M2
10.50	22	24	12	4	DIB-1050-20-M2	DIB-1050-28-M2
10.60	22	24	12	4	DIB-1060-20-M2	DIB-1060-28-M2
10.70	22	24	12	4	DIB-1070-20-M2	DIB-1070-28-M2
10.80	22	24	12	4	DIB-1080-20-M2	DIB-1080-28-M2
10.90	22	24	12	4	DIB-1090-20-M2	DIB-1090-28-M2
11.00	22	24	12	4	DIB-1100-20-M2	DIB-1100-28-M2
11.10	22	24	12	4	DIB-1110-20-M2	DIB-1110-28-M2
11.20	22	24	12	4	DIB-1120-20-M2	DIB-1120-28-M2
11.30	22	24	12	4	DIB-1130-20-M2	DIB-1130-28-M2
11.40	22	24	12	4	DIB-1140-20-M2	DIB-1140-28-M2
11.50	22	24	12	4	DIB-1150-20-M2	DIB-1150-28-M2
11.60	22	24	12	4	DIB-1160-20-M2	DIB-1160-28-M2
11.70	22	24	12	4	DIB-1170-20-M2	DIB-1170-28-M2
11.80	22	24	12	4	DIB-1180-20-M2	DIB-1180-28-M2
11.90	22	24	12	4	DIB-1190-20-M2	DIB-1190-28-M2
12.00	22	24	12	4	DIB-1200-20-M2	DIB-1200-28-M2
12.10	26	28	14	4	DIB-1210-20-M2	DIB-1210-28-M2
12.20	26	28	14	4	DIB-1220-20-M2	DIB-1220-28-M2
12.30	26	28	14	4	DIB-1230-20-M2	DIB-1230-28-M2
12.40	26	28	14	4	DIB-1240-20-M2	DIB-1240-28-M2
12.50	26	28	14	4	DIB-1250-20-M2	DIB-1250-28-M2
12.60	26	28	14	4	DIB-1260-20-M2	DIB-1260-28-M2
12.70	26	28	14	4	DIB-1270-20-M2	DIB-1270-28-M2
12.80	26	28	14	4	DIB-1280-20-M2	DIB-1280-28-M2
12.90	26	28	14	4	DIB-1290-20-M2	DIB-1290-28-M2
13.00	26	28	14	4	DIB-1300-20-M2	DIB-1300-28-M2
13.10	26	28	14	4	DIB-1310-20-M2	DIB-1310-28-M2
13.20	26	28	14	4	DIB-1320-20-M2	DIB-1320-28-M2
13.30	26	28	14	4	DIB-1330-20-M2	DIB-1330-28-M2
13.40	26	28	14	4	DIB-1340-20-M2	DIB-1340-28-M2
13.50	26	28	14	4	DIB-1350-20-M2	DIB-1350-28-M2
13.60	26	28	14	4	DIB-1360-20-M2	DIB-1360-28-M2
13.70	26	28	14	4	DIB-1370-20-M2	DIB-1370-28-M2

Dia. d1	Dia d3	d2	A	l3	A2	
					20	28
9.90	18	20	9.5	4		DIB-0990-28-A2
10.00	18	20	9.5	4		DIB-1000-28-A2
10.10	22	24	12	4	DIB-1010-20-A2	DIB-1010-28-A2
10.20	22	24	12	4		DIB-1020-28-A2
10.30	22	24	12	4		DIB-1030-28-A2
10.40	22	24	12	4		DIB-1040-28-A2
10.50	22	24	12	4		DIB-1050-28-A2
10.60	22	24	12	4	DIB-1060-28-A2	DIB-1060-28-A2
10.70	22	24	12	4		DIB-1070-28-A2
10.80	22	24	12	4		DIB-1080-28-A2
10.90	22	24	12	4		DIB-1090-28-A2
11.00	22	24	12	4		DIB-1100-28-A2
11.10	22	24	12	4	DIB-1110-20-A2	DIB-1110-28-A2
11.20	22	24	12	4		DIB-1120-28-A2
11.30	22	24	12	4		DIB-1130-28-A2
11.40	22	24	12	4	DIB-1140-20-A2	DIB-1140-28-A2
11.50	22	24	12	4		DIB-1150-28-A2
11.60	22	24	12	4	DIB-1160-20-A2	DIB-1160-28-A2
11.70	22	24	12	4		DIB-1170-28-A2
11.80	22	24	12	4		DIB-1180-28-A2
11.90	22	24	12	4		DIB-1190-28-A2
12.00	22	24	12	4		DIB-1200-28-A2
12.10	26	28	14	4	DIB-1210-20-A2	DIB-1210-28-A2
12.20	26	28	14	4		DIB-1220-28-A2
12.30	26	28	14	4		DIB-1230-28-A2
12.40	26	28	14	4		DIB-1240-28-A2
12.50	26	28	14	4		DIB-1250-28-A2
12.60	26	28	14	4	DIB-1260-20-A2	DIB-1260-28-A2
12.70	26	28	14	4		DIB-1270-28-A2
12.80	26	28	14	4		DIB-1280-28-A2
12.90	26	28	14	4		DIB-1290-28-A2
13.00	26	28	14	4		DIB-1300-28-A2
13.10	26	28	14	4	DIB-1310-20-A2	DIB-1310-28-A2
13.20	26	28	14	4		DIB-1320-28-A2
13.30	26	28	14	4		DIB-1330-28-A2
13.40	26	28	14	4		DIB-1340-28-A2
13.50	26	28	14	4		DIB-1350-28-A2
13.60	26	28	14	4		DIB-1360-28-A2
13.70	26	28	14	4		DIB-1370-28-A2

Continues next page.



Materials: (HSS) M2 Tungsten High Speed Steel.
Shank Hardness: 64 +/- 2 Hrc
Head Hardness: 50 +/- 5 Hrc

Materials: (A2) 12% Chromium Tool Steel
Shank Hardness: 64 +/- 2 Hrc
Head Hardness: 45 +/- 5 Hrc

Dia. d1	Dia d3	d2	A	I3	HSS	
					20	28
13.80	26	28	14	4	DIB-1380-20-M2	DIB-1380-28-M2
13.90	26	28	14	4	DIB-1390-20-M2	DIB-1390-28-M2
14.00	26	28	14	4	DIB-1400-20-M2	DIB-1400-28-M2
14.10	26	28	16	4	DIB-1410-20-M2	DIB-1410-28-M2
14.20	26	28	16	4	DIB-1420-20-M2	DIB-1420-28-M2
14.30	26	28	16	4	DIB-1430-20-M2	DIB-1430-28-M2
14.40	26	28	16	4	DIB-1440-20-M2	DIB-1440-28-M2
14.50	26	28	16	4	DIB-1450-20-M2	DIB-1450-28-M2
14.60	26	28	16	4	DIB-1460-20-M2	DIB-1460-28-M2
14.70	26	28	16	4	DIB-1470-20-M2	DIB-1470-28-M2
14.80	26	28	16	4	DIB-1480-20-M2	DIB-1480-28-M2
14.90	26	28	16	4	DIB-1490-20-M2	DIB-1490-28-M2
15.00	26	28	16	4	DIB-1500-20-M2	DIB-1500-28-M2
16.10	26	28	16	4		DIB-1610-28-M2

Dia. d1	Dia d3	d2	A	I3	A2	
					20	28
13.80	26	28	14	4		DIB-1380-28-A2
13.90	26	28	14	4		DIB-1390-28-A2
14.00	26	28	14	4		DIB-1400-28-A2
14.10	26	28	16	4		DIB-1410-28-A2
14.20	26	28	16	4	DIB-1420-20-A2	DIB-1420-28-A2
14.30	26	28	16	4	DIB-1430-20-A2	DIB-1430-28-A2
14.40	26	28	16	4	DIB-1440-20-A2	DIB-1440-28-A2
14.50	26	28	16	4	DIB-1450-20-A2	DIB-1450-28-A2
14.60	26	28	16	4	DIB-1460-20-A2	DIB-1460-28-A2
14.70	26	28	16	4	DIB-1470-20-A2	DIB-1470-28-A2
14.80	26	28	16	4	DIB-1480-20-A2	DIB-1480-28-A2
14.90	26	28	16	4	DIB-1490-20-A2	DIB-1490-28-A2
15.00	26	28	16	4	DIB-1500-20-A2	DIB-1500-28-A2
16.10	26	28	16	4		