Reference: 22-3722 Version No: 6.1

## **MATERIALS DATA SAFETY SHEET**



# **Prolon 901**

Version No: 6.1

# **Hales Tooling Components and Industrial Supplies**

Chemwatch Hazard Alert Code: 1

Issue Date: 23/12/2022 Print Date: 18/03/2024 S.GHS.AUS.EN

Chemwatch: 22-3722

#### SECTION 1 Identification of the substance / mixture and of the company / undertaking

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

| Product Identifier            |                |  |
|-------------------------------|----------------|--|
| Product name                  | Prolon 901     |  |
| Chemical Name                 | Not Applicable |  |
| Synonyms                      | Not Available  |  |
| Chemical formula              | Not Applicable |  |
| Other means of identification | Not Available  |  |

### Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Assembly lubricant |
|--------------------------|--------------------|
|--------------------------|--------------------|

### Details of the manufacturer or supplier of the safety data sheet

| Registered company name | Hales Australia Pty Ltd                    | ABN: 90 107 200 322 |
|-------------------------|--|---------------------|
| Address                 | 45 Woodlands Drive, Braeside VICTORIA 3195 |                     |
| Telephone               | +61 3 8587 1600                            |                     |
| Fax                     | +61 3 8587 1624                            |                     |
| Website                 | www.hales.com.au                           |                     |
| Email                   | info@hales.com.au                          |                     |

#### **Emergency telephone number**

| Association / Organisation        | Anglo Design         | CHEMWATCH EMERGENCY RESPONSE (24/7) |
|-----------------------------------|----------------------|-------------------------------------|
| Emergency telephone numbers       | +61 2 9457 8566 B.H. | +61 1800 951 288                    |
| Other emergency telephone numbers | Not Available        | +61 3 9573 3188                     |

Once connected and if the message is not in your preferred language then please dial 01

## **SECTION 2 Hazards identification**

#### Classification of the substance or mixture

| Poisons Schedule   | Not Applicable  |
|--------------------|---|
| Classification [1] | Serious Eye Damage/Eye Irritation Category 2B   |
| Legend:            | 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI |

### Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|
|                     |                |
| Signal word         | Warning        |





# **MATERIALS DATA SAFETY SHEET**

#### Hazard statement(s)

H320 Causes eye irritation.

## Precautionary statement(s) Prevention

P264 Wash all exposed external body areas thoroughly after handling.

## Precautionary statement(s) Response

| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
|----------------|--|
| P337+P313      | If eye irritation persists: Get medical advice/attention.  |

#### Precautionary statement(s) Storage

Not Applicable

#### Precautionary statement(s) Disposal

Not Applicable

#### **SECTION 3 Composition / information on ingredients**

#### **Substances**

See section below for composition of Mixtures

## **Mixtures**

| CAS No  | %[weight] | Name                                       |
|---|-----------|--|
| Not Available   | 100       | ingredients determined not to be hazardous |
| Not Available   |           | including                                  |
| 63748-98-1  |           | mineral oil                                |
| Legend: 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available |           |  |

### **SECTION 4 First aid measures**

## Description of first aid measures

| Eye Contact  | If this product comes in contact with the eyes:  • Wash out immediately with fresh running water.  • Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  • Seek medical attention without delay; if pain persists or recurs seek medical attention.  • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.   |
|--------------|---|
| Skin Contact | If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.  If failure/misuse of high pressure/hydraulic equipment results in injection of grease/oil through the skin seek urgent medical attention. Treat as surgical emergency.   |
| Inhalation   | <ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>   |
| Ingestion    | <ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul> |

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 Firefighting measures**





Chemwatch: 22-3722

Version No: 6.1

# **MATERIALS DATA SAFETY SHEET**

#### **Extinguishing media**

- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

## Special hazards arising from the substrate or mixture

| Fire Incompatibility    | Avoid contamination with strong oxidising agents as ignition may result   |  |
|-------------------------|---|--|
| Advice for firefighters |   |  |
| Fire Fighting           | <ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves.</li> <li>Prevent, by any means available, spillage from entering drains or water course.</li> <li>Use water delivered as a fine spray to control fire and cool adjacent area.</li> </ul>               |  |
| Fire/Explosion Hazard   | <ul> <li>Combustible.</li> <li>Slight fire hazard when exposed to heat or flame.</li> <li>Heating may cause expansion or decomposition leading to violent rupture of containers.</li> <li>On combustion, may emit toxic fumes of carbon monoxide (CO).</li> </ul> Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2) |  |
| HAZCHEM                 | Not Applicable  |  |

#### **SECTION 6 Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

See section 8

#### **Environmental precautions**

See section 12

## Methods and material for containment and cleaning up

| Minor Spills | Slippery when spilt.  Clean up all spills immediately.  Avoid contact with skin and eyes.  Wear impervious gloves and safety goggles.  Trowel up/scrape up.   |
|--------------|---|
| Major Spills | Slippery when spilt.  Minor hazard.  Clear area of personnel.  Alert Fire Brigade and tell them location and nature of hazard.  Control personal contact with the substance, by using protective equipment as required. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## **SECTION 7 Handling and storage**

## Precautions for safe handling

|                   | · •   |
|-------------------|---|
| Safe handling     | Remove all ignition sources.  Limit all unnecessary personal contact.  Wear protective clothing when risk of exposure occurs.  Use in a well-ventilated area.  Avoid contact with incompatible materials. |
| Other information | <ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>No smoking, naked lights or ignition sources.</li> <li>Store in a cool, dry, well-ventilated area.</li> </ul>   |

### Conditions for safe storage, including any incompatibilities

|                    | Polyethylene or polypropylene container.                      |
|--------------------|---|
| Suitable container | Packing as recommended by manufacturer.                       |
|                    | Check all containers are clearly labelled and free from leaks |



info@hales.com.au

Chemwatch: 22-3722 Issue Date: 23/12/2022 Page 4 of 9 Version No: 6.1 **Prolon 901** Print Date: 18/03/2024

# **MATERIALS DATA SAFETY SHEET**

Storage incompatibility

Avoid storage with oxidisers













- Must not be stored together
- May be stored together with specific preventions
- May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

#### **SECTION 8 Exposure controls / personal protection**

#### **Control parameters**

Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

| Source                          | Ingredient  | Material name             | TWA     | STEL          | Peak          | Notes         |
|---------------------------------|-------------|---------------------------|---------|---------------|---------------|---------------|
| Australia Exposure<br>Standards | mineral oil | Oil mist, refined mineral | 5 mg/m3 | Not Available | Not Available | Not Available |

#### Emergency Limits

| Ingredient  | TEEL-1    | TEEL-2      | TEEL-3      |
|-------------|-----------|-------------|-------------|
| mineral oil | 140 mg/m3 | 1,500 mg/m3 | 8,900 mg/m3 |

| Ingredient  | Original IDLH | Revised IDLH  |
|-------------|---------------|---------------|
| mineral oil | 2,500 mg/m3   | Not Available |

#### **Exposure controls**

| Appropriate engineering controls   | General exhaust is adequate under normal operating conditions.   |
|--|--|
| Individual protection<br>measures, such as<br>personal protective<br>equipment |  |
| Eye and face protection  | No special equipment for minor exposure i.e. when handling small quantities.  OTHERWISE:  Safety glasses with side shields.  Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. |
| Skin protection  | See Hand protection below  |
| Hands/feet protection  | <ul> <li>Wear chemical protective gloves, e.g. PVC.</li> <li>Wear safety footwear or safety gumboots, e.g. Rubber</li> </ul>   |
| Body protection  | See Other protection below   |
| Other protection   | No special equipment needed when handling small quantities.  OTHERWISE:  Overalls.  Barrier cream.  Eyewash unit.  |

### Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

| Required Minimum Protection Factor | Half-Face Respirator | Full-Face Respirator | Powered Air Respirator |
|------------------------------------|----------------------|----------------------|------------------------|
| up to 10 x ES                      | A-AUS                | -                    | A-PAPR-AUS / Class 1   |
| up to 50 x ES                      | -                    | A-AUS / Class 1      | -                      |



Page 5 of 9

Chemwatch: 22-3722 Version No: 6.1

**Prolon 901** 

Issue Date: 23/12/2022 Print Date: 18/03/2024

# **MATERIALS DATA SAFETY SHEET**

| up to 100 x ES | - | A-2 | A-PAPR-2 ^ |
|----------------|---|-----|------------|
|----------------|---|-----|------------|

<sup>^ -</sup> Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

## **SECTION 9 Physical and chemical properties**

| nformation on basic physical and chemical properties |                                      |   |                |  |
|--|--------------------------------------|---|----------------|--|
| Appearance   | Soft grease; doesn't mix with water. |   |                |  |
|  |                                      |   |                |  |
| Physical state                                       | Non Slump Paste                      | Relative density (Water = 1)            | Not Available  |  |
| Odour  | Not Available                        | Partition coefficient n-octanol / water | Not Available  |  |
| Odour threshold                                      | Not Available                        | Auto-ignition temperature (°C)          | Not Available  |  |
| pH (as supplied)                                     | Not Available                        | Decomposition temperature (°C)          | Not Available  |  |
| Melting point / freezing point (°C)                  | 300 (drop point)                     | Viscosity (cSt)                         | Not Available  |  |
| Initial boiling point and boiling range (°C)         | Not Available                        | Molecular weight (g/mol)                | Not Applicable |  |
| Flash point (°C)                                     | Not Available                        | Taste                                   | Not Available  |  |
| Evaporation rate                                     | Not Available                        | Explosive properties                    | Not Available  |  |
| Flammability   | Not Available                        | Oxidising properties                    | Not Available  |  |
| Upper Explosive Limit (%)                            | Not Available                        | Surface Tension (dyn/cm or mN/m)        | Not Available  |  |
| Lower Explosive Limit (%)                            | Not Available                        | Volatile Component (%vol)               | Not Available  |  |
| Vapour pressure (kPa)                                | Not Available                        | Gas group                               | Not Available  |  |
| Solubility in water                                  | Immiscible                           | pH as a solution (1%)                   | Not Available  |  |
| Vapour density (Air = 1)                             | Not Available                        | VOC g/L                                 | Not Available  |  |

## **SECTION 10 Stability and reactivity**

| Reactivity                         | See section 7  |
|------------------------------------|--|
| Chemical stability                 | <ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul> |
| Possibility of hazardous reactions | See section 7  |
| Conditions to avoid                | See section 7  |
| Incompatible materials             | See section 7  |
| Hazardous decomposition products   | See section 5  |

## **SECTION 11 Toxicological information**

## Information on toxicological effects

| Inhaled      | Not normally a hazard due to non-volatile nature of product  |
|--------------|--|
| Ingestion    | The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. |
| Skin Contact | There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons.  |
| Eye          | There is some evidence to suggest that this material can cause eye irritation and damage in some persons.  |
| Chronic      | Oil may contact the skin or be inhaled. Extended exposure can lead to eczema, inflammation of hair follicles, pigmentation of the face and warts on the soles of the feet.                     |



# **MATERIALS DATA SAFETY SHEET**

| Prolon 901  | TOXICITY  Not Available  | IRRITATION  Not Available |  |
|-------------|--|---------------------------|--|
| mineral oil | TOXICITY  Not Available  | IRRITATION  Not Available |  |
| Legend:     | Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS.     Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances |                           |  |

The materials included in the Lubricating Base Oils category are related from both process and physical-chemical perspectives; The potential toxicity of a specific distillate base oil is inversely related to the severity or extent of processing the oil has undergone, since:

- ${f \cdot}$  The adverse effects of these materials are associated with undesirable components, and
- The levels of the undesirable components are inversely related to the degree of processing:
- Distillate base oils receiving the same degree or extent of processing will have similar toxicities;
- The potential toxicity of residual base oils is independent of the degree of processing the oil receives.

#### MINERAL OIL

• The reproductive and developmental toxicity of the distillate base oils is inversely related to the degree of processing. Unrefined & mildly refined distillate base oils contain the highest levels of undesirable components, have the largest variation of hydrocarbon molecules and have shown the highest potential cancer-causing and mutation-causing activities. Highly and severely refined distillate base oils are produced from unrefined and mildly refined oils by removing or transforming undesirable components. In comparison to unrefined and mildly refined base oils, the highly and severely refined distillate base oils have a smaller range of hydrocarbon molecules and have demonstrated very low mammalian toxicity. Testing of residual oils for mutation-causing and cancer-causing potential has shown negative results, supporting the belief that these materials lack biologically active components or the components are largely non-bioavailable due to their molecular size. Toxicity testing has consistently shown that lubricating base oils have low acute toxicities.

| Acute Toxicity                    | ×        | Carcinogenicity          | × |
|-----------------------------------|----------|--------------------------|---|
| Skin Irritation/Corrosion         | ×        | Reproductivity           | × |
| Serious Eye<br>Damage/Irritation  | <b>✓</b> | STOT - Single Exposure   | × |
| Respiratory or Skin sensitisation | ×        | STOT - Repeated Exposure | × |
| Mutagenicity                      | ×        | Aspiration Hazard        | × |

🗶 - Data either not available or does not fill the criteria for classification Leaend: 🖊 – Data available to make classification

## **SECTION 12 Ecological information**

## **Toxicity**

| Prolon 901  | Endpoint  | Test Duration (hr) | Species       | Value            | Source           |
|-------------|---|--------------------|---------------|------------------|------------------|
|             | Not<br>Available  | Not Available      | Not Available | Not<br>Available | Not<br>Available |
| mineral oil | Endpoint  | Test Duration (hr) | Species       | Value            | Source           |
|             | Not<br>Available  | Not Available      | Not Available | Not<br>Available | Not<br>Available |
| Legend:     | Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - |                    |               |                  |                  |

DO NOT discharge into sewer or waterways.

### Persistence and degradability

| Ingredient | Persistence: Water/Soil               | Persistence: Air                      |  |
|------------|---------------------------------------|---------------------------------------|--|
|            | No Data available for all ingredients | No Data available for all ingredients |  |

#### Bioaccumulative potential

| Ingredient | Bioaccumulation                       |  |
|------------|---------------------------------------|--|
|            | No Data available for all ingredients |  |



Chemwatch: 22-3722 Page 7 of 9 Version No: 6.1

# **MATERIALS DATA SAFETY SHEET**

### Mobility in soil

| Ingredient | Mobility                              |  |
|------------|---------------------------------------|--|
|            | No Data available for all ingredients |  |

#### **SECTION 13 Disposal considerations**

#### Waste treatment methods

Product / Packaging disposal

- ▶ Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.
- Recycle containers if possible, or dispose of in an authorised landfill.

#### **SECTION 14 Transport information**

#### **Labels Required**

| Marine Pollutant | NO             |
|------------------|----------------|
| HAZCHEM          | Not Applicable |

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

### 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group         |
|--------------|---------------|
| mineral oil  | Not Available |

### 14.7.3. Transport in bulk in accordance with the IGC Code

| Product name | Ship Type     |
|--------------|---------------|
| mineral oil  | Not Available |

## **SECTION 15 Regulatory information**

### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### mineral oil is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 1: Carcinogenic to humans

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Not Classified as Carcinogenic

## **Additional Regulatory Information**

Not Applicable

### **National Inventory Status**

| National Inventory                                 | Status           |
|--|------------------|
| Australia - AIIC / Australia<br>Non-Industrial Use | No (mineral oil) |
| Canada - DSL                                       | No (mineral oil) |
| Canada - NDSL                                      | No (mineral oil) |
| China - IECSC                                      | No (mineral oil) |

Issue Date: 23/12/2022

Print Date: 18/03/2024



Prolon 901

Issue Date: 23/12/2022
Print Date: 18/03/2024

# **MATERIALS DATA SAFETY SHEET**

| National Inventory               | Status   |  |  |
|----------------------------------|--|--|--|
| Europe - EINEC / ELINCS /<br>NLP | No (mineral oil)   |  |  |
| Japan - ENCS                     | Yes  |  |  |
| Korea - KECI                     | No (mineral oil)   |  |  |
| New Zealand - NZIoC              | No (mineral oil)   |  |  |
| Philippines - PICCS              | No (mineral oil)   |  |  |
| USA - TSCA                       | No (mineral oil)   |  |  |
| Taiwan - TCSI                    | No (mineral oil)   |  |  |
| Mexico - INSQ                    | No (mineral oil)   |  |  |
| Vietnam - NCI                    | No (mineral oil)   |  |  |
| Russia - FBEPH                   | No (mineral oil)   |  |  |
|                                  | Yes = All CAS declared ingredients are on the inventory  |  |  |
| Legend:                          | No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |  |  |

#### **SECTION 16 Other information**

| Revision Date | 23/12/2022 |
|---------------|------------|
| Initial Date  | 19/07/2010 |

#### **SDS Version Summary**

| Version | Date of Update | Sections Updated   |
|---------|----------------|--|
| 5.1     | 01/11/2019     | One-off system update. NOTE: This may or may not change the GHS classification |
| 6.1     | 23/12/2022     | Classification review due to GHS Revision change.                              |

### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

## **Definitions and abbreviations**

- ► PC-TWA: Permissible Concentration-Time Weighted Average
- ▶ PC-STEL: Permissible Concentration-Short Term Exposure Limit
- ► IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- ► NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- ► TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ► DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- ► DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ► EINECS: European INventory of Existing Commercial chemical Substances
- ► ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers

cont.



Chemwatch: 22-3722 Issue Date: 23/12/2022 Page 9 of 9 Version No: 6.1 **Prolon 901** Print Date: 18/03/2024

# **MATERIALS DATA SAFETY SHEET**

- ► ENCS: Existing and New Chemical Substances Inventory
- ► KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ► TSCA: Toxic Substances Control Act
- ► TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- ▶ NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.

end of SDS

